THE following Returns of Births and Deaths registered in South Australia during the undermentioned period are published for general information.

Chief Secretary's Office, Adelaide, October 9th, 1900.

1 G. Jenkins, Chief Secretary.

Return of Births and Deaths registered in South Australia, exclusive of the Northern Territory, in the Month of August, 1895-1900.

Years	1895.	1896.	1897.	1898.	1899.	Average of Five	1900.								Total			
*Population, Aug. 1st	348,126	351,892	352,102	357,220	361,893	Years.								for 1900.				
Births	934	790	845	855	870	859	723								6,226			
Rate per cent	.268	.225	•240	-239	.240	_					-1	98						
Deaths-			\$1 - Y	8 5	101:		All Ages.	Under 1 year.	land under 5.	band under 20	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Not stated.	+Coroners'	†Uncerti- fied causes of Death.	Tuq 0483
All causes	274	333	306	317	308	308	331	53	17	24	54	57	88	38	_	47	9	2,500
Rate per cent	.079	.095	.087	.089	.085	_	.091		_	-	_		_		_	_	_	
Diseases— I. Specific Febrile or Zymotic II. Parasitic III. Dietic IV. Constitutional. V. Developmental. VI. Local VII. Violence VIII. Ill-defined and	14 2 3 50 41 142 8	20 1 4 56 42 172 16	17 1 64 38 153 18	31 1 	22 1 50 42 155 24		18 1 2 58 44 175 16	$\frac{3}{1}$ $\frac{1}{2}$ $\frac{12}{23}$ $\frac{4}{4}$	1 - 3 - 10	3 - 6 - 12 3	5 - 17 - 32 -		$ \frac{4}{-12} $ 12 10 57 4					
not specified causes	14	22	15	18	14	_	17	8	3	_	_	2	1	3	_		_	

^{*} The numbers represent the population of South Australia proper, and are exclusive of that of the Northern Territory (European and Chinese), and also of the number of the aborigines.

† Including inquests.

† Not certified by qualified practitioners.

Causes of Deaths registered in the Month of August, 1900.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above.
I	-					Diseases of locomotive sys-		
Measles			V.	1		tem		2
Scarlet fever	_		Premature birth	10		Diseases of integumentary		4
Relapsing fever	_	_	Cyanosis	_		system		1
Influenza	_	3	Congenital defects,,	2		VII.		1
Whooping-cough	1	1	Old age	_	32	(Accident.)		
Diphtheria	_	3	VI.			Fracture and contusion		6
Simple and ill-defined fever	_	_	Apoplexy		16	Gunshot wound		1
Enteric fever		1	Epilepsy	_	1	Cut, stab		1
Simple cholera	_		Convulsions	5		Burn and scald	1	
Diarrhœa, dysentery	_	1	Other diseases of brain and			Poison		1
Remittent fever	_	_	nervous system	_	16	Drowning		3
Venereal affections	_	2	Diseases of organs of special			Suffocation	2	_
Erysipelas	1	1	sense	-		Otherwise	1	
Pyæmia and septicæmia	1	3	Diseases of circulatory sys-			(Homicide.)		
Puerperal fever	_		tem	_	46	Murder and manslaughter	-	
Other zymotic diseases			Croup	_	_	(Suicide.)		
II.			Bronchitis	6	16	Gunshot wound		
Thrush	1	-	Pneumonia	6	18	Cut, stab	_	_
Worms and other parasitical			Pleurisy	_	- 1	Poison	_	
diseases			Other diseases of respiratory			Drowning	_	_
III.			system	-	5	Hanging	_	_
Privation-want of breast milk		1	Dentition	2		Otherwise		
Alcoholism	_	1	Quinsy, sore throat	E		(Execution.)		
IV.			Enteritis	1	- 1	Hanging		_
Rheumatic fever and rheuma-			Peritonitis	1	3	VIII.		
tism of heart	_	3	Diseases of liver	_	10	Dropsy	_	2
Rheumatism	_	3	Other diseases of digestive			Debility, atrophy, inanition	6	2
Gout		_	system	2	2	Mortification		_
Cancer, malignant disease	_	. 16	Diseases of lymphatic sys-			Tumor	- 1	-
Tabes mesenterica	_	_	tem and of ductless glands	-	_	Abscess	_	1
Tubercular meningitis	1	3	Diseases of urinary system	-	11	Hæmorrhage		-
Phthisis	_	25	Diseases of generative sys-			Sudden, cause unascertained		_
Scrofula, tuberculosis	_	3	tem	-	. 1	Other ill-defined and not		
Other constitutional diseases	1	3	Accidents of childbirth		4	specified causes	2	4

Return of Births and Deaths registered in the City of Adelaide in the Month of August, 1895-1900.

Years	1895.	1896.	1897.	1898	1899.	Average of Five				4,131,910	1	900.				.00		Total for
Population, Jan. 1st	40,167	40,406	40,384	40,475	40,637	337 Years. 41,005								1900.				
Births	105	81	105	115	91	91 99 87								700				
Rate per cent	•262	•200	•260	•284	·224		-212											
Deaths—						8 - 0	All Ages.	Under l year.	land under 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Not stated.	*Coroner's inquiries.	+Uncerti- fied sauses of death.	
All causes	69	71	73	80	65	72	63	7	3	7	12	16	13	5	_	7	-	524
Rate per cent	172	.176	·181	198	·160	_	•154	_		_	_	_	_	_	_	_	_	
Diseases— 1. Specific Febrile or Zymotic 11. Parasitic 11. Dietic 12. Constitutional 13. V. Developmental 14. Violence 14. Violence 14. Violence and not specified causes	2 2 2 12 11 38 2	2 1 2 14 10 34 4	2 1 	5 — 14 12 33 7	5 1 		9 — 9 5 34 5			2 - 1 - 3 1	4 - 4 - 4 -	1 - 3 - 9 3	2 - 1 3 7					

^{*} Including inquests.

Causes of Deaths registered in the Month of August, 1900.

-the come these deserting is the first time of]	1	(1
	Under One Year.	One Year and Above.	at any to be the Month at the	Under One Year.	One Year and Above.		Under One Year.	One Year and Above
I.			The state of the s			Accidents of childbirth		1
Measles		- 1	Scrofula, tuberculosis	_	_	Diseases of locomotive system	-	_
Scarlet fever		1 -	Other constitutional diseases	-		Diseases of integumentary		
Relapsing fever	-					system	_	1
Influenza	_	2	V.			7177		
Whooping-cough	-		Premature birth	1	-	VII. (Accident.)		
Diphtheria	-	2	Cyanosis	_		Fracture and contusion	-	2
Simple and ill-defined fever		_	Congenital defects	_	_	Gunshot wound	-	
Enteric fever		-	Old age	1-	4	Cut, stab	_	_
Simple cholera		_	VI.			Burn and scald	-	-
Diarrhœa, dysentery	_	_			6	Poison	-	1
Venereal affections		2	Apoplexy Epilepsy		_	Drowning	_	2.
Erysipelas	_		Convulsions	2		Otherwise		
Pyæmia and septicæmia		3	Other diseases of brain and			(Homicide.)		
Puerperal fever	_	_	nervous system		4	Murder and manslaughter	_	
Other zymotic diseases			Diseases of organs of special			(Suicide.)		
,			sense			Gunshot wound		
II.			Diseases of circulatory system	_	6	Cut, stab		_
Thrush	_		Croup		-	Poison	_	_
Worms and other parasitical			Bronchitis	1	2	Drowning		-
diseases	_	_	Pneumonia	1	4	Hanging	_	_
			Pleurisy	_	_	Otherwise		_
III.			Other diseases of respiratory			(Execution)		
Privation—want of breast milk	-	-	system		-	Hanging	-	
Alcoholism	n n =	_	Dentition	1	-	YTTT		
TX7			Quinsy, sore throat		_	VIII.		
IV.			Enteritis	_		Dropsy	-	_
Rheumatic fever and rheumatism of heart			Peritonitis	_	1 3	Debility, atrophy, inanition		_
Rheumatism		_		_	9	Mortification	1	_
Gout			Other diseases of digestive system			Tumor	-	-
Cancer, malignant disease	_	$\frac{-}{2}$	Diseases of lymphatic sys-	1 2 2 1		Abscess		-
Tabes mesenterica			tem and of ductless glands		_	Hæmorrhage Sudden, cause unascertained	_	
Tubercular meningitis		1	Diseases of urinary system			Other ill-defined and not		
Phthisis		6	Diseases of generative system		1	specified causes	_	
			2 ISSUED OF BOILDING TO BY STORING			Specifica Gauses		

⁺ Not certified by qualified practitioners.

Return of Births and Deaths registered in each Ward of the City of Adelaide, exclusive of Deaths in Public Institutions, of persons not usually resident in the city, in the month of August, 1900.

in the transfer a fraction of the first community in the	Total.	Hindmarsh.	Gawler.	Grey.	Young.	Robe.	MacDonnell.
							. I only m
Area in acres	3,632	573	659	552	718	480	650
Estimated population January 1st	41,005	6,164	7,164	8,826	10,239	3,657	4,955
Persons to an acre	11.3	10.8	10.9	16.0	14.3	7.6	7.6
Births Male Female	87 35 52	13 4 9	12 7 5	22 8 14	23 9 14	10 5 5	7 2 5
Deaths	49 25 24	12 5 7	11 8 3	3 2 1	14 5 9	5 1 4	4 4
CLASSES. I. Specific Febrile or Zymotic Diseases. II. Parasitic Diseases III. Dietic Diseases. IV. Constitutional Diseases V. Developmental Diseases VI. Local Diseases VII. Violence VIII. Ill-defined and not specified causes	6 7 4 27 4 1		2 — — 1 6 2	3	2 - 1 10 - 1	1 — 1 — 2 1	1 2 1
Percentage of Deaths to population of each Ward	.119	•195	153	.034	·137	·137	.081

Causes of Deaths registered in the Month of August, 1900.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above.
1.			Phthisis	_	6	Accidents of childbirth		1
Measles		- 1	Scrofula, tuberculosis	_	_	Diseases of locomotive system	_	
Scarlet fever	-	_	Other constitutional diseases.	_	-	Diseases of integumentary		
Relapsing fever	_	_				system	_	1
Influenza	-	2	V.			VII.		1
Whooping-cough	_	_	Premature birth	1		(Accident.)		
Diphtheria	_	1	Cyanosis	-	_	Fracture and confusion		1
Simple and ill-defined fever	_	_	Congenital defects	-		Gunshot wound		_
Enteric fever	_		Old age	-	3	Cut, stab		
Simple cholera	-	1 -				Burn and scald		
Diarrhœa, dysentery	_	_	VI.			Poison		1
Remittent fever	_	_	Apoplexy	_	4	Drowning		2
Venereal affections	_	1	Epilepsy			Suffocation		
Erysipelas	-	_	Convulsions	2	_	Otherwise	_	_
Pyæmia and septicæmia	_	2	Other diseases of brain and		0	(Homicide.)		
Puerperal fever	-	-	nervous system	_	3	Murder and manslaughter		_
Other zymotic diseases	-	_	Diseases of organs of special			(Suicide.)		
			sense		5	Gunshot wound	-	_
II.			Diseases of circulatory system	_	0	Cut, stab	_	
Thrush	_	_	Croup	1	2	Poison		-
Worms and other parasitical			Bronchitis	1	3	Drowning	-	_
diseases	_	_	Pneumonia	_	0	Hanging	_	-
***			Pleurisy Other diseases of respiratory			Otherwise	_	_
III.		J		_		(Execution)		
Privation — Want of breast			system	1		Hanging	_	_
milk	_	_	Quinsy, sore throat	_		VIII.		
Alcoholism	_	_	Enteritis	_	_	Dropsy	_	_
177			Peritonitis		1	Debility, atrophy, inanition		_
IV.			Diseases of liver		2	Mortification	1	
Rheumatic fever and rheu-			Other diseases of digestive			Tumor		_
matism of heart	_		system			Abscess	_	_
Rheumatism	_	_	Diseases of lymphatic system			Hæmorrhage		_
Gout	_	_	and of ductless glands		_	Sudden, cause unascertained.		_
Cancer, malignant disease	_	_	Diseases of urinary system	_		Other ill-defined and not spe-		
Tabes mesenterica	_	1	Diseases of drinary system Diseases of generative system		_	cified causes		_
Tubercular meningitis	_	1	Diseases of generative system			OILLOW OWNERDOD !		i

AUGUST, 1900.

The highest temperature in the shade at the Adelaide Observatory during the month was 67°9 on the 6th; and the lowest, 39°8, on the 4th. The mean temperature of the month was 52°2.

The greatest range of the thermometer in one day, 23°5, took place on the 6th, viz., from a maximum of 67°9 to a minimum of 44°4; the lowest range, 12°, on the 7th.

The mean height of the barometer was 29.748 inches; the maximum, 30.080 inches, occurred on the 10th; and the minimum, 29.220 inches on the 30th.

Observatory, Adelaide, September 7th, 1900.

C. Todd, Observer.